



Robin Classic

Clean shape. Clean water.

Robin Classic

The exclusive design with S curved shape differentiates the Robin from other softeners. Choose your color and personalize the system with your logo.

Robin Classic. Clean shape. Clean Water.

FEATURES SOFTENER

UNIQUE DESIGN

-  **DYNAMIC CURVED DESIGN**
-  **PERFECT ALIGNMENT OF PLASTIC PARTS**
-  **PRACTICAL**
Easy salt filling - lid remains open



USER-FRIENDLY

-  **ERGONOMIC HANDLE**
to easily move the machine
-  **PUSH BUTTONS**
direct access to the function
-  **USE OF SYMBOLS**

PERFORMANCE

- 
TWO SIZES
 Mini & maxi
- 
DIFFERENT REGENERATION
 Downflow & Upflow
- 
HIGHER PERFORMANCE
 Enhanced settings



PERSONALIZATION

OPTION FOR YOUR LOGO




OPTION FOR DIFFERENT COLOR



Other colors available upon request
(MOQ 300pcs)

FEATURES CONTROLLER



- **Reliable**
Valve core made of high-strength, high-precision grinding & polishing ceramic.
- **Straightforward**
Intuitive controller for easy setting.
- **Service-friendly**
Limited maintenance and easy replacement of parts.
- **Safe**
Data is preserved during power outage. Buttons automatically lock if there is no operation within one minute.

TECHNICAL SPECIFICATIONS SOFTENER

MODEL	MINI	MAXI
Dimensions mm (H x W x D)	653 x 320 x 503	1112 x 320 x 555
Exchange capacity	0.35 kg CaCO ₃	1.20 kg CaCO ₃
Control System	F69PHY	F69PHY
Regeneration type	Upflow / Downflow	Upflow / Downflow
Tank Size	9x15	9x35
Resin Quantity	12L	26L
Service Flow Rate	0.8 m ³ /h	1.0 m ³ /h
Peak Flow Rate	1.2 m ³ /h	1.2 m ³ /h
Water Used Per Regeneration	59L	92L
Plumbing Connections	3/4"	3/4"
Electrical Rating	220V/50Hz	220V/50Hz
Water Supply	Municipal	Municipal
Water Temperature	5 - 45°C	5 - 45°C
Operating Pressure	2 - 6 bar	2 - 6 bar